

FRENKEL et al., Ser. No. 09/640,466, Examiner T. LIN
REPLY TO OFFICE ACTION

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, of claims in the application:

- 1 1. (Original) A method of retrieving and storing quality of service policy management
2 information using a directory service, comprising the steps of:
3 receiving a validity period value of one of a plurality of directory information trees
4 that are created and stored in the directory service in association with a
5 directory information tree manager;
6 when quality of service policy management information is needed, determining which
7 one of the directory information trees is a currently active directory
8 information tree;
9 retrieving the quality of service policy management information from the currently
10 active directory information tree only during a time period within the validity
11 period value thereof.
- 1 2. (Original) A method as recited in Claim 1, further comprising the steps of designating
2 one of the directory information trees as the currently active directory information
3 tree only when all read operations and write operations are complete with respect to
4 that directory information tree.
- 1 3. (Original) A method as recited in Claim 1, further comprising the steps of providing,
2 in the directory information tree manager, a reference to one or more old directory
3 information trees for use by a reading process that specifically requests retrieval of
4 obsolete quality of service policy information that is associated with the one or more
5 old directory trees.
- 1 4. (Original) A method as recited in Claim 1, further comprising:

FRENKEL et al., Ser. No. 09/640,466, Examiner T. LIN
REPLY TO OFFICE ACTION

2 creating and storing a validity designation value in association with each directory
3 information tree, in which the validity designation value indicates whether the
4 directory information tree is active, old, or to be erased;
5 retrieving the quality of service policy management information from one directory
6 information tree that has a validity designation value of "active," and only
7 during a time period within the validity period value thereof.

1 5. (Original) A method as recited in Claim 1, further comprising the steps of deleting an
2 obsolete directory information tree only after its validity period has expired.

1 6. (Original) A method as recited in Claim 4, further comprising the steps of testing the
2 validity designation value after carrying out a read operation, and verifying validity of
3 information that has been read by determining whether the validity designation value
4 is currently null.

1 7. (Original) A method as recited in Claim 1, further comprising the steps of
2 determining that one or more objects in a directory information tree has been
3 modified by a process and rewriting to the directory service only selected units of the
4 directory information tree.

1 8. (Original) A method as recited in Claim 1, wherein each directory information tree
2 comprises a policy sub-tree that includes one or more role objects, one or more
3 service template objects, and one or more policy decision point objects, and further
4 comprising the steps of determining that one or more objects in one of the directory
5 information trees has been modified by a process and rewriting to the directory
6 service only such objects, service template objects, and policy decision point objects
7 as have been modified by the process.

1 9. (Original) A method of retrieving and storing quality of service policy management
2 information using a directory service, comprising the steps of:
3 receiving a name and creation time value associated with one of a plurality of
4 directory information trees that are stored in the directory service in
5 association with a directory information tree manager;

FRENKEL et al., Ser. No. 09/640,466, Examiner T. LIN
REPLY TO OFFICE ACTION

6 receiving quality of service policy information from the one of the plurality of
7 directory information trees;
8 determining whether the name or creation time value of the one of the plurality of
9 directory information trees have changed;
10 determining that the quality of service policy information is successfully retrieved
11 only when the name or creation time value of the one of the plurality of
12 directory information trees are unchanged.

1 10. (Original) A method as recited in Claim 9, further comprising the steps of
2 determining which one of the directory information trees is a currently active
3 directory information tree;
4 retrieving the quality of service policy management information from the currently
5 active directory information tree only during a time period within the validity
6 period value thereof.

1 11. (Currently Amended) A method of retrieving and storing quality of service policy
2 management information using a directory service, comprising the steps of:
3 receiving a validity period value of one of a plurality of directory information trees
4 that are created and stored in the directory service in association with a
5 directory information tree manager;
6 providing, in the directory information tree manager, an active directory information
7 tree value that references ~~the~~ a currently active directory information tree, and
8 an old directory information tree value that references a formerly active
9 directory information tree;
10 when quality of service policy management information is needed, determining which
11 one of the directory information trees is a currently active directory
12 information tree as indicated by the active directory information tree value of
13 the directory information tree manager;
14 retrieving the quality of service policy management information from the currently
15 active directory information tree only during a time period within the validity
16 period value thereof.

FRENKEL et al., Ser. No. 09/640,466, Examiner T. LIN
REPLY TO OFFICE ACTION

- 1 12. (Original) A method as recited in Claim 11, wherein the quality of service policy
2 information associated with each of the directory information trees comprises a sub-
3 tree of one or more quality of service policies.
- 1 13. (Original) A method as recited in Claim 11, further comprising the steps of:
2 providing a manager validity period value in the directory information tree manager;
3 retrieving the quality of service policy management information from the currently
4 active directory information tree only during a time period within the manager
5 validity period value.
- 1 14. (Original) A method as recited in Claim 11, further comprising the steps of:
2 providing a unique name value and a creation time value in each directory
3 information tree;
4 retrieving the quality of service policy information from a directory information tree
5 only when its creation time value is unchanged since a previous retrieval from
6 that directory information tree.
- 1 15. (Original) A method as recited in Claim 11, further comprising the steps of:
2 after retrieving the quality of service policy information,
3 (a) determining whether the current directory information tree is still valid based on
4 its validation period value;
5 (b) determining whether the current directory information tree has changed based on
6 its name value;
7 (c) if either determination (a) or (b) is true, then deleting the retrieved quality of
8 service policy information and restarting retrieval of the quality of service
9 policy information.
- 1 16. (Original) A method as recited in Claim 11, further comprising the steps of:
2 creating and storing a sub-tree of one or more quality of service policies;
3 setting the sub-tree as inactive;
4 validating consistency and error checking the sub-tree;
5 modifying an active job value of a job manager to reference the sub-tree.

FRENKEL et al., Ser. No. 09/640,466, Examiner T. LIN
REPLY TO OFFICE ACTION

- 1 17. (Original) A method of retrieving and storing quality of service policy management
2 information using a directory service, comprising the steps of:
3 creating and storing a plurality of directory information trees that are created and
4 stored in the directory service in association with a directory information tree
5 manager;
6 when quality of service policy management information is needed, determining which
7 one of the directory information trees is a currently active directory
8 information tree;
9 receiving a validity period value of the directory information tree manager;
10 if the validity period value of the directory information tree manager is currently
11 valid, then performing the steps of:
12 receiving a name value and a validity period value of a currently active directory
13 information tree;
14 retrieving quality of service policy information from the active directory information
15 tree only during the validity period value of that active directory information
16 tree.
- 1 18. (Original) A computer-readable medium carrying one or more sequences of
2 instructions for retrieving and storing quality of service policy management
3 information using a directory service, wherein execution of the one or more
4 sequences of instructions by one or more processors causes the one or more
5 processors to perform the steps of:
6 receiving a validity period value of one of a plurality of directory information trees
7 that are created and stored in the directory service in association with a
8 directory information tree manager;
9 when quality of service policy management information is needed, determining which
10 one of the directory information trees is a currently active directory
11 information tree;

FRENKEL et al., Ser. No. 09/640,466, Examiner T. LIN
REPLY TO OFFICE ACTION

12 retrieving the quality of service policy management information from the currently
13 active directory information tree only during a time period within the validity
14 period value thereof.

1 19. (Original) A computer-readable medium as recited in Claim 18, further comprising
2 the steps of designating one of the directory information trees as the currently active
3 directory information tree only when all read operations and write operations are
4 complete with respect to that directory information tree.

1 20. (Original) A computer-readable medium as recited in Claim 18, further comprising
2 the steps of providing, in the directory information tree manager, a reference to one or
3 more old directory information trees for use by a reading process that specifically
4 requests retrieval of obsolete quality of service policy information that is associated
5 with the one or more old directory trees.

1 21. (Original) A computer-readable medium as recited in Claim 18, further comprising:
2 creating and storing a validity designation value in association with each directory
3 information tree, in which the validity designation value indicates whether the
4 directory information tree is active, old, or to be erased;
5 retrieving the quality of service policy management information from one directory
6 information tree that has a validity designation value of "active," and only
7 during a time period within the validity period value thereof.

1 22. (Currently Amended) A computer-readable medium as recited in Claim 18, further
2 comprising the steps of deleting an obsolete directory information tree only after its
3 validity period has expired.

1 23. (Original) A computer-readable medium as recited in Claim 22, further comprising
2 the steps of testing ~~the~~ a validity designation value after carrying out a read operation,
3 and verifying validity of information that has been read by determining whether the
4 validity designation value is currently null.

FRENKEL et al., Ser. No. 09/640,466, Examiner T. LIN
REPLY TO OFFICE ACTION

- 1 24. (Original) A computer-readable medium as recited in Claim 18, further comprising
2 the steps of determining that one or more objects in a directory information tree has
3 been modified by a process and rewriting to the directory service only selected units
4 of the directory information tree.
- 1 25. (Original) A computer-readable medium as recited in Claim 18, wherein each
2 directory information tree comprises a policy sub-tree that includes one or more role
3 objects, one or more service template objects, and one or more policy decision point
4 objects, and further comprising the steps of determining that one or more objects in
5 one of the directory information trees has been modified by a process and rewriting to
6 the directory service only such objects, service template objects, and policy decision
7 point objects as have been modified by the process.
- 1 26. (Original) An apparatus for retrieving and storing quality of service policy
2 management information using a directory service, comprising:
3 means for receiving a validity period value of one of a plurality of directory
4 information trees that are created and stored in the directory service in
5 association with a directory information tree manager;
6 means for determining, when quality of service policy management information is
7 needed, which one of the directory information trees is a currently active
8 directory information tree;
9 means for retrieving the quality of service policy management information from the
10 currently active directory information tree only during a time period within
11 the validity period value thereof.
- 1 27. (Original) An apparatus for retrieving and storing quality of service policy
2 management information using a directory service, comprising:
3 a processor;
4 a network interface coupled to a managed network that receives network data from
5 one or more network devices that are in the managed network;

FRENKEL et al., Ser. No. 09/640,466, Examiner T. LIN
REPLY TO OFFICE ACTION

6 one or more sequences of stored instructions accessible to the processor and which,
7 when executed by the processor, cause the processor to carry out the steps of:
8 receiving a validity period value of one of a plurality of directory information trees
9 that are created and stored in the directory service in association with a
10 directory information tree manager;
11 determining, when quality of service policy management information is needed,
12 which one of the directory information trees is a currently active directory
13 information tree;
14 retrieving the quality of service policy management information from the currently
15 active directory information tree only during a time period within the validity
16 period value thereof.

1 28. (New) The method of claim 1, wherein the Directory Information Trees and the
2 Directory Information Tree Manager provide consistency control over policy sub-
3 trees that store quality of service policy information.

1 29. (New) A method comprising the steps of:
2 testing a validity designation value after carrying out a read operation,
3 wherein the validity designation value is associated with one of a plurality of
4 directory information trees that are created and stored in a directory
5 service in association with a directory information tree manager, and
6 wherein the plurality of directory information trees are associated with quality
7 of service policy information; and
8 verifying the validity of information that has been read during the read operation by
9 determining whether the validity designation value is currently null.

10 30. (New) A method as recited in Claim 29, further comprising:
11 creating and storing the validity designation value in association with each of a
12 plurality of directory information trees, in which the validity designation value
13 indicates whether the directory information tree is active, old, or to be erased;

FRENKEL et al., Ser. No. 09/640,466, Examiner T. LIN
REPLY TO OFFICE ACTION

14 . retrieving quality of service policy management information from one of the plurality
15 of directory information trees in which the validity designation indicates that
16 the director information tree is "active," and only during a time period within
17 a validity period value thereof.

1 31. (New) The method of claim 29 wherein the method is part of a step of retrieving and
2 storing quality of service policy management information using a directory service,
3 comprising the steps of retrieving and storing further comprising:
4 receiving the validity period value of one of the plurality of directory information
5 trees that are created and stored in the directory service in association with a
6 directory information tree manager;
7 when quality of service policy management information is needed, determining which
8 one of the directory information trees is a currently active directory
9 information tree;
10 retrieving the quality of service policy management information from the currently
11 active directory information tree only during a time period within the validity
12 period value thereof.

1 32. (New) An apparatus comprising:
2 a machine readable medium carrying at least
3 a plurality of directory information trees associated with quality of service
4 policy information, each directory information tree includes at least a
5 policy sub-tree that has at least one or more role objects, one or more
6 service template objects, and one or more policy decision point
7 objects, wherein the one or more role objects, one or more service
8 template objects, and one or more policy decision point objects are
9 related to the quality of service information;
10 one or more sequences of stored instructions accessible to the processor and
11 which, when executed by a processor, cause the processor to carry out
12 the steps of:

FRENKEL et al., Ser. No. 09/640,466, Examiner T. LIN
REPLY TO OFFICE ACTION

- 13 determining that one or more objects in one of the directory information trees has
14 been modified by a process and rewriting to the directory service only such
15 objects, service template objects, and policy decision point objects as have
16 been modified by the process.